Project: .....
Rev.: .....
Zone: .....
Location: .....

baron

8 BURNER GAS RANGE TOP VERSION

Code	Model	Serie
CR1012269	Q70PC/G1606	QUEEN 7

GENERAL FEATURES

- 15/10 worktop thickness
- Stainless steel, Scotch-Brite finish
- Sturdy and powerful with compact design
- Depth of 700 mm means it will fit the most common configurations
- Catalogue offers more than 300 standard models
- Worktop, base cabinet, base cabinet with doors and oven versions
- Twin-piece knobs prevent the infiltration of dirt and are watertight
- Gas ranges having burners with various configurations and power ratings: 3,5 kW - 5,7 kW e 7 kW
- Wide range of accessories

The front bar is a new design feature that increases the kitchen's visual importance and offers clear benefits: it is a comfortable place for the chef to lean on; it means you will remain at a safe distance from the worktop and therefore protects from accidentally knocking against both items lying on the worktop and the knobs.

The knobs offer optimum grip and help the chef to have the setting controls right under his eyes. Special attention has also been paid to the knob bezel that has been expertly designed to avoid penetration of liquids and/or dirt. Thanks to the IPX5 water jet ingress protection rating, awarded after passing specific tests, knobs and knob bezels can be washed at the end of the working day without affecting performance or safety.

TECHNICAL DETAILS

8 BURNER GAS RANGE TOP VERSION_x000D_
- Fully moulded top, obtained from a large stainless steel plate._x000D_
- long prongs enamelled cast iron grilles to easily move pots between one burner and another; Stainless steel rod grilles are available._x000D_
- High power cast iron burners (3.5- 5.7- 7 kW)._x000D_
- burners piezo-electric ignition available as optional._x000D_
- Stainless steel removable two-burner basin accessory._x000D_

BARON Ali Group srl
Via del Boscon, 424
32100 Belluno - Italy
Tel. +39 0437 855411
Fax +39 0437 855444
info@baronprofessional.com
www.baronprofessional.com

Sistema Qualità Certificato ISO 9001:2015

8 BURNER GAS RANGE TOP VERSION

Code	Model	Serie
CR1012269	Q70PC/G1606	QUEEN 7

Technical Information

Specifications	Data
Code	CR1012269
Description	Q70PC/G1606 8F SUPER POTENZIATA TOP
CODICE COMMERCIALE	Q70PC/G1606
Commercial line	QUEEN7
Supply	GAS
Depth	1600 MM
Width	700 MM
Height	250 MM
Net weight	108
Packaging Depth	440 MM
Packaging Width	980 MM
Packaging Height	540 MM
Packaging Volume (m^3)	0,600
Gross weight (kg)	120,000
Gas type	METANO "H, E" G20 20/25mbar
Gas power (G30/30 mbar)	43,7999999 KW
Gas power (G25/25 mbar)	43,7999999 KW
Certified model	Q70PC/G1606
Certification number	CE-0085BU0310
Certification	0051CL4008
Certification body	0085

BARON Ali Group srl
Via del Boscon, 424
32100 Belluno - Italy
Tel. +39 0437 855411
Fax +39 0437 855444
info@baronprofessional.com
www.baronprofessional.com

8 BURNER GAS RANGE TOP VERSION

Code	Model	Serie
CR1012269	Q70PC/G1606	QUEEN 7

QUEEN

PRODUCT'S RANGE PLUS



Fully moulded top, obtained from a large stainless steel plate.



Long prongs enamelled cast iron grilles to easily move pots between one burner and another.

High power cast iron burners 3.5-5.7- 7 and 10 kW.

Thanks to the water jet ingress protection rating, awarded after passing specific tests, knobs and knob bezels can be washed at the end of the working day without affecting performance or safety.



Protected pilot flame, with easily washable protection.



The front bar is a comfortable place for the chef to lean on; it means you will remain at a safe distance from the worktop and therefore protects from accidentally knocking against both items lying on the worktop and the knobs.

BARON Ali Group srl
Via del Boscon, 424
32100 Belluno - Italy
Tel. +39 0437 855411
Fax +39 0437 855444
info@baronprofessional.com
www.baronprofessional.com

Sistema Qualità Certificato ISO 9001:2015

8 BURNER GAS RANGE TOP VERSION

Code	Model	Serie
CR1012269	Q70PC/G1606	QUEEN 7

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda	
E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	**G** Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás **EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)**
S Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água **S1** Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba **S2** Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de dépresión - Onderdrukklep - Válvula de depressão **S3** Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmita com Sistema de aquecimento indirecto **S4** Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno	**H20** Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água **A1 =** Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno **A2 =** Fredda - Kalt - Cold - Froid - Fria - Koude - Frio **L** Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaukraan - Torneira de nível

BARON Ali Group srl
Via del Boscon, 424
32100 Belluno - Italy
Tel. +39 0437 855411
Fax +39 0437 855444
info@baronprofessional.com
www.baronprofessional.com